


[1F]



リスト No	リスト 名称	配置部材の 左下からの 距離(mm)	部材 No	比率 (%)	部材 No	比率 (%)	部材 No	比率 (%)	部材 No	比率 (%)	杭リスト	杭本数 リストNo	フーチング リスト	—地震時軸力 (kN)— X左加力 Y左加力	X右加力 Y右加力	追加 荷重 (kN)	基礎指定
17	F1-38	0	38	100.0	37	100.0	54	50.0			SSSSS	1	F1-T	0.0 175.0	0.0 0.0	0.0	杭基礎
18	F1-39	650	39	50.0	55	50.0					SSSSS	1	F1-T	400.0 141.0	0.0 0.0	0.0	杭基礎
19	F2-20	3300									SSSSS	2	F1-T	0.0 0.0	0.0 0.0	100.0	杭基礎
20	F1-2	9999999	2	100.0							SSSSS	4	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
21	F1-5	9999999	5	100.0							SSSSS	4	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
22	F1-8	9999999	8	100.0							SSSSS	4	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
23	F1-11	9999999	11	100.0							SSSSS	4	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
24	F4-23	1300	23	100.0	24	100.0					SSSSS	5	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
25	F4-27	1300	27	100.0	28	100.0					SSSSS	5	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
26	F4-31	1300	27	100.0	28	100.0					SSSSS	5	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎
27	F4-35	1300	35	100.0	36	100.0					SSSSS	5	F1-T	0.0 0.0	0.0 0.0	0.0	杭基礎

[illegible]

[illegible]

名 称	Y04-01B1 *1						Y04-01D1 *1						Y04-01F1 *1					
位 置 I / I' I1 / I2 QD/A/QA	1F 2.100 0.450		A	通 り 1		1.200 1.650	1F 1.800 0.450		A	通 り 2		0.900 1.350	1F 2.550 0.450		A	通 り 3		1.200 1.650
	3			2.00		1	3			2.00		1	3			2.00		1
	左 端		中 央		右 端		左 端		中 央		右 端		左 端		中 央		右 端	
B	35.0		35.0		35.0		35.0		35.0		35.0		35.0		35.0		35.0	
D	180.0		180.0		180.0		180.0		180.0		180.0		180.0		180.0		180.0	
d	174.0		174.0		174.0		174.0		174.0		174.0		174.0		174.0		174.0	
j	152.3		152.3		152.3		152.3		152.3		152.3		152.3		152.3		152.3	
ML	3.86		-2.36		3.86		1.69		-0.84		1.69		3.86		-2.36		3.86	
MK	-83.25		-34.72		13.80		-27.98		2.60		33.18		-17.87		18.31		54.49	
sMS	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	
MS	87.11		37.08		17.67		29.67		3.44		34.86		21.73		20.67		58.35	
MLg	0.00		0.00		0.00		-35.89		35.89		-35.89		0.00		0.00		0.00	
MKg1 MKg2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Mp1 Mp2	-135.63	135.63	51.97	-51.97	239.57	-239.57	-23.61	12.68	94.43	-50.70	23.61	-12.68	-239.57	239.57	-36.28	36.28	167.00	-167.00
MK1 MK2	-83.25	83.25	-34.72	34.72	13.80	-13.80	-27.98	27.98	2.60	-2.60	33.18	-33.18	-17.87	17.87	18.31	-18.31	54.49	-54.49
MS1 MS2	-215.01	222.74	14.89	-19.61	257.24	-249.51	-85.79	6.46	132.07	-18.25	22.59	-80.05	-253.58	261.30	-20.34	15.61	225.36	-217.63
n-D U, D	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19	2-D19
MAL U, D	185.69	0.00	0.00	185.69	185.69	0.00	0.00	185.69	185.69	0.00	0.00	185.69	185.69	0.00	0.00	185.69	185.69	0.00
MAS1 U, D	0.00	280.92	280.92	0.00	280.92	0.00	0.00	280.92	280.92	0.00	280.92	0.00	0.00	280.92	280.92	0.00	280.92	0.00
MAS2 U, D	280.92	0.00	0.00	280.92	0.00	280.92	280.92	0.00	0.00	280.92	0.00	280.92	280.92	0.00	280.92	0.00	0.00	280.92
atn U, D	4.56	4.41	0.30	0.39	5.29	5.11	0.35	1.73	2.68	0.54	0.45	1.61	5.35	5.20	0.33	0.42	4.62	4.44
QL	-17.87		0.00		17.87		-11.24		0.00		11.24		-17.87		0.00		17.87	
QK	80.88		80.88		80.88		67.96		67.96		67.96		60.30		60.30		60.30	
sQS	0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00		0.00	
QS	63.00		80.88		98.75		56.71		67.96		79.20		42.43		60.30		78.17	
QLg	0.00		0.00		0.00		159.50		67.96		-159.50		0.00		60.30		0.00	
QKg1 QKg2	0.00	0.00	0.00		0.00		0.00	0.00	0.00		0.00	0.00	0.00	0.00	0.00		0.00	0.00
Qp1 Qp2																		

[A]

